

According to Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product name OPTIMUM PREMIUM WASHING UP LIQUID

Product number OPTK25

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Detergent. For professional use only.

**Uses advised against**Not for direct contact with Food or Beverage stuffs. Not for oral consumption.

## 1.3. Details of the supplier of the safety data sheet

Supplier Holchem Laboratories Limited

Gateway House, Pilsworth Road, Pilsworth Industrial Estate, Bury, Lancashire (UK)

BL9 8RD

+44 (0) 1706 222288 +44 (0) 1706 221550 info@holchem.co.uk

# 1.4. Emergency telephone number

Emergency telephone Out of Office Hours Emergency Information:-

For accidents and spillages involving this product that pose a threat to the environment, or

human health, or require immediate first aid advice call:- +44(0) 7050 265597.

Note:- This number will not accept order queries or calls dealing with equipment breakdowns.

Irish Environmental Protection Agency 1890 335599. This product is registered with the NPIS.

UK Environment Agency 24hour Advisory Service 0800 807060.

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification

Physical hazards

Not Classified

Health hazards

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

**Environmental hazards** 

Not Classified

## 2.2. Label elements

# **Pictogram**



### OPTIMUM PREMIUM WASHING UP LIQUID

Signal word Warning

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements

P280 Wear protective clothing, gloves, eye and face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/attention.

Detergent labelling 5 - < 15% anionic surfactants, < 5% amphoteric surfactants, Contains 1,3-Bis(hydroxymethyl)-

5,5-dimethylimidazoline-2,4-dione

Supplementary precautionary statements

P404 Store in a closed container.

P501 Dispose of contents/container in accordance with national regulations.

#### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

SODILIM ALKYL ETHER SLILPHATE	10-30%

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi; R38, R41

Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

### DODECYLBENZENESULPHONIC ACID TRIETHANOLAMINE SALT

1-5%

Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319

LAURYL BETAINE 1-5%

**CAS number:** 683-10-3 **EC number:** 211-669-5

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi;R36/38,R41.

Eye Dam. 1 - H318

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments To the best of our knowledge, all of the substances used in this product are being supported

for the relevent application in REACH., Note Sodium Alkyl Ether Sulphates with Reach Registration 01-2119488639-16-XXXX classify as Eye Irritant Cat 2 (H319) at concentrations

between 10 - 30%.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

# **OPTIMUM PREMIUM WASHING UP LIQUID**

#### General information

When it is safe to do so, remove victim immediately from source of exposure. However, consideration should be given as to whether moving the victim will cause further injury.

#### Inhalation

Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If breathing stops, provide artificial respiration. Get medical attention if any discomfort continues.

### Ingestion

Do not induce vomiting. Rinse mouth thoroughly with water. Place unconscious person on the side in the recovery position and ensure breathing can take place. Get medical attention.

#### Skin contact

In the unlikely event of irritation cease use and seek medical advice.

#### Eve contact

Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### General information

Neat product may cause irritation to skin and eyes. Dilute chemical may result in mild irritation to skin. Contact of dilute chemical with eyes should still be treated as outlined above.

#### Inhalation

Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose.

#### Ingestion

Unlikely route of exposure without deliberate abuse. If neat chemical is ingested, irritation of the mouth, throat and GI tract may occur. If dilute chemical is ingested some soreness of the mouth, throat and GI tract may occur.

### Skin contact

Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

#### Eye contact

May cause redness and irritation (stinging sensation) to eyes.

### 4.3. Indication of any immediate medical attention and special treatment needed

## Notes for the doctor

Contains a blend of surfactants in an aqueous solution.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.

# 5.2. Special hazards arising from the substance or mixture

#### Specific hazards

On heating irritating fumes may be formed. No unusual fire or explosion hazards noted.

## Hazardous combustion products

Does not decompose when used and stored as recommended.

## 5.3. Advice for firefighters

# Protective actions during firefighting

Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.

## Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

## Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

### **Environmental precautions**

Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Avoid or minimise the creation of any environmental contamination.

### 6.3. Methods and material for containment and cleaning up

#### Methods for cleaning up

Stop leak if possible without risk. Collect and place in suitable waste disposal containers and seal securely. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Absorb in vermiculite, dry sand or earth and place into containers. For waste disposal, see Section 13.

### 6.4. Reference to other sections

### Reference to other sections

See sections 8,12 & 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Usage precautions

Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist. Read and follow manufacturer's recommendations.

## 7.2. Conditions for safe storage, including any incompatibilities

### Storage precautions

Keep container tightly closed. Keep only in the original container. Store in a demarcated bunded area to prevent release to drains and/or watercourses. Store between 0 and 40 Degrees C.

### 7.3. Specific end use(s)

### Specific end use(s)

Detergent, refer to Product Information Sheet for full details.

# Usage description

Use as instructed on the product information sheet. This product is suitable for use in food preparation areas, but is not designed for direct food contact.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

### Occupational exposure limits

### Ingredient comments

Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided.

DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2.

Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

### SODIUM ALKYL ETHER SULPHATE (CAS: 68891-38-3)

DNEL Professional - Dermal; Long term systemic effects: 2750 mg/kg/day

Professional - Inhalation; Long term systemic effects: 175 mg/m³
General population - Oral; Long term systemic effects: 15 mg/kg/day
General population - Dermal; Long term systemic effects: 1650 mg/kg/day
General population - Inhalation; Long term systemic effects: 52 mg/m³

PNEC - Fresh water; 0.24 mg/l

Marine water; 0.024 mg/l
Intermittent release; 0.071 mg/l
Sediment (Freshwater); 5.45 mg/kg
Sediment (Marinewater); 0.545 mg/kg

- Soil; 0.946 mg/kg

- STP; 10 g/l

#### 8.2. Exposure controls

## Protective equipment





#### Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

#### Personal protection

The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product.

### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

### Hand protection

Rubber (natural, latex). Polyvinyl chloride (PVC).

Refer to Standard EN 374. Neoprene.

### Other skin and body protection

Provide eyewash station. Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.

#### Hygiene measures

Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin. Wash contaminated clothing before reuse. Provide eyewash station and safety shower.

### Respiratory protection

No specific recommendations.

### **Environmental exposure controls**

Do not allow the substance to contaminate surface water/ground water. See points 6, 12 &13.

## General Health and Safety

Measures.

A typical use solution at 5% or less would not be classified. However we would still recommend use of gloves and eye protection. A full Risk Assessment should be carried out before handling any chemical(s). Risk Assessments should refer to COSHH, and any other relevant legislation or industry specific guidelines governing the use of chemicals.

## **SECTION 9: Physical and Chemical Properties**

### **OPTIMUM PREMIUM WASHING UP LIQUID**

# 9.1. Information on basic physical and chemical properties

## **Appearance**

Coloured liquid.

### Colour

Blue.

## Odour

Slight.

### Odour threshold

Not applicable.

#### pΗ

pH (concentrated solution): 7.0 - 8.0 pH (diluted solution): 7.0 - 8.0 @1%

## Melting point

Not applicable.

## Initial boiling point and range

Not applicable.

### Flash point

Not applicable. Contains no Flammable Components

### **Evaporation rate**

Not applicable.

## **Evaporation factor**

Not applicable.

# Flammability (solid, gas)

Not applicable.

### Upper/lower flammability or explosive limits

Not applicable.

## Other flammability

Not applicable.

## Vapour pressure

Not applicable.

# Vapour density

Not applicable.

## Relative density

1.02 @ 20 Degrees C

# **Bulk density**

Not applicable.

# Solubility(ies)

Soluble in water.

### Partition coefficient

Not applicable. Not technically practical for mixtures.

### Auto-ignition temperature

Not applicable.

# **Decomposition Temperature**

Not applicable.

# Viscosity

Not determined.

# **Explosive properties**

Not applicable.

### Explosive under the influence of a flame

Not considered to be explosive.

### Oxidising properties

Not applicable. Contains no Oxidising Components.

#### 9.2. Other information

### Refractive index

Not applicable.

### Particle size

Not applicable.

### Molecular weight

Not applicable.

### Volatility

Not applicable.

### Saturation concentration

Not applicable.

### Critical temperature

Not applicable.

## Volatile organic compound

Not applicable.

Explosive Properties Not Classified as Explosive

Storage Temperature Range 0 to +40 Degrees C

### **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions.

# 10.2. Chemical stability

### Stability

Stable at normal ambient temperatures and when used as recommended. - See note 10.6.

# 10.3. Possibility of hazardous reactions

Refer to section 10.1.

## 10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time.

# 10.5. Incompatible materials

#### Materials to avoid

Do not mix with other chemicals.

# 10.6. Hazardous decomposition products

Does not decompose when used and stored as recommended. - See section 10.5.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Respiratory sensitisation

No evidence of respiratory sensitisation for any component of this formulation.

### **Skin sensitisation**

No evidence of skin sensitisation for any component of this formulation.

## Carcinogenicity

The components of this formulation will not be systemically available in the body under normal conditions of handling. As a consequence it is not expected to cause cancer.

### **OPTIMUM PREMIUM WASHING UP LIQUID**

### Reproductive toxicity

### Reproductive toxicity - fertility

The components of this formulation will not be systemically available in the body under normal conditions of use and handling. As a consequence it is not expected to be toxic to the reproductive system or developing foetus.

### General information

See section 4.2.

#### Inhalation

Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose. - See section 4.2.

### Ingestion

May cause discomfort if swallowed.

#### Skin contact

Skin irritation should not occur when used as recommended. Gloves should be used.

#### Eye contact

Irritating to eyes.

## **SECTION 12: Ecological Information**

### **Ecotoxicity**

This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

### 12.1. Toxicity

### Acute toxicity - fish

Normal use of diluted product is unlikely to pose a risk. See note 12.0.

### 12.2. Persistence and degradability

# Persistence and degradability

The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria as laid down in the European Detergents Regulation No 648/2004 as amended.

## 12.3. Bioaccumulative potential

Not expected to bioaccumulate.

### Partition coefficient

Not applicable. Not technically practical for mixtures.

## 12.4. Mobility in soil

## Mobility

The product contains substances which are water soluble and may spread in water systems.

### 12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

# 12.6. Other adverse effects

Not determined.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## General information

When handling waste, the safety precautions applying to handling of the product should be considered. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Do not mix with other chemicals.

### Disposal methods

### **OPTIMUM PREMIUM WASHING UP LIQUID**

Small volumes of use solution can be disposed of to sewers.

# **SECTION 14: Transport information**

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

UN No. (IMDG)

UN No. (ICAO)

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

ADR/RID class

ADR/RID subsidiary risk

ADR/RID label

**IMDG class** 

IMDG subsidiary risk

ICAO class/division

ICAO subsidiary risk

Transport labels

# 14.4. Packing group

Not applicable.

ADR/RID packing group

IMDG packing group

ICAO packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

# 14.6. Special precautions for user

Not applicable.

EmS

**Emergency Action Code** 

Hazard Identification Number

(ADR/RID)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU legislation**

European Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

#### OPTIMUM PREMIUM WASHING UP LIQUID

This replaces Directive 67/548/EEC - Classification, Packaging and Labelling of Dangerous Substances and Regulation (EC) No. 453/2010 relating to the Classification, Packaging and Labelling of Dangerous Preparations. Also considered is the REACH Regulation (EC) No.1907/2006.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## **SECTION 16: Other information**

### Abbreviations and acronyms used in the safety data sheet

(EC) No. 1272/2008: EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures. NPIS - National Poisons Information Service.

vPvB - Very Persistent, Very bioaccumulative.

PBT - Persistent, Bioaccumulative & Toxic.

REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC 1907/2006).

DNEL - Derived No Effect Limit.

PNEC - Predicted No Effect Concentration.

COSHH - Control of Substances Hazardous to Health.

Industry - Refers in section 8 to application of the substance in an industrial process.

Professional - Refers in section 8 to application/use of the preparation/product in a skilled trade premises.

#### General information

This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment.

The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.

#### **Revision comments**

Review in line with CLP Regulation.

Revision date 30/03/2015

Risk phrases in full

R22 Harmful if swallowed. R36 Irritating to eyes.

R37/38 Irritating to respiratory system and skin.

R36/38 Irritating to eyes and skin. R41 Risk of serious damage to eyes.

Hazard statements in full

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

REACH extended MSDS

comments

REACH requires that persons handling chemicals should take the necessary risk

management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevent recommendations must be passed along the supply chain.

These assessments are generally reported in Exposure Scenarios.

Where Exposure Scenarios have been provided for substances used in this product, the

relevent information is incorporated into the safety data sheet.

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.